

REFERENCES

1. J. Rantakokko et al., "User Requirements for Localization and Tracking Technology: A Survey of Mission-specific Needs and Constraints," Proc. Int'l. Conf. Indoor Positioning and Navigation, Zurich, Switzerland, Sept. 2010
2. E. Jacobson et al., "SUO/SAS Geolocation: Land Navigation Using Multiple Integrated Sensors," Proc. 57th ION Annual Tech. Mtg., Albuquerque, NM, June 2001.
3. D. Landis et al., "A Deep Integration Estimator for Urban Ground Navigation," Proc. PLANS 2006, San Diego, CA, Apr. 2006.
4. S. Rounds, "Advanced 3-D Locator Indoor Positioning for Firefighters and Other First Responders," WPI PPL Technology Wksp., Worcester, MA, 2008.
5. G. A. Vecchione et al., "DI-GPS, A GNSS-based Multi-sensor Demonstrator for Indoor Navigation: Preliminary Results," Proc. PLANS 2010, Palm Springs, CA, May 2010
6. W. T. Faulkner et al., "GPS-Denied Pedestrian Tracking in Indoor Environments Using an IMU and Magnetic Compass," Proc. ION Int'l. Tech. Mtg., San Diego, CA, Jan. 2010.
7. E. Foxlin and S. Wan, "Improved Pedestrian Navigation Based on Drift-Reduced MEMS IMU Chip," Proc. ION Int'l. Tech. Mtg., San Diego, CA, Jan. 2010.
8. P. Strömbäck et al., "Foot-mounted Inertial Navigation and Cooperative Sensor Fusion for Indoor Positioning," Proc. ION Int'l. Tech. Mtg., San Diego, CA, Jan. 2010.
9. I. Skog et al., "Zero-Velocity Detection — An Algorithm Evaluation," IEEE Trans. Biomed. Eng., vol. 57, no. 11, Nov. 2010, pp. 2657–66.
10. J. Callmer, D. Törnqvist, and F. Gustafsson, "Probabilistic Stand Still Detection Using Foot-mounted IMU," Proc. 13th Int'l. Conf. Info. Fusion, Edinburgh, UK, 2010.
11. K. Pahlavan et al., "Taking Positioning Indoors — Wi-Fi Localization and GNSS," InsideGNSS, May 2010.
12. N. Alsindi, B. Alavi, and K. Pahlavan, "Measurement and Modeling of UWB TOA-based Ranging in Indoor Environments," IEEE Trans. Vehic. Tech., vol. 58, Mar. 2009, pp. 1046–58.

IJOART